

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,587,054 B2  
APPLICATION NO. : 10/500938  
DATED : September 8, 2009  
INVENTOR(S) : Gary W. Elko, Robert A. Kubli and Jens M. Meyer

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 35, lines 25-28, please replace “ $(\nu_s, \phi_s)$  are spherical coordinate angles of sensor  $s$  in the microphone array; coordinate angles  $(\nu_s, \phi_s)$ ; and

$Y_n^{m'}(\nu_s, \phi_s)$  is a spherical harmonic function of order  $n'$  and degree  $m'$  at the spherical” with --  $(\vartheta_s, \varphi_s)$  are spherical coordinate angles of sensor  $s$  in the microphone array;

$Y_n^{m'}(\vartheta_s, \varphi_s)$  is a spherical harmonic function of order  $n'$  and degree  $m'$  at the spherical coordinate angles  $(\vartheta_s, \varphi_s)$ ; and--;

In column 35, line 29, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 35, line 31, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 37, line 37, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 37, line 39, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;


In column 37, lines 40 and 41, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 37, line 42, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 37, line 44, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

Signed and Sealed this

Twenty-ninth Day of June, 2010



David J. Kappos  
Director of the United States Patent and Trademark Office

In column 39, line 26, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 39, line 28, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 39, lines 29 and 30, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --;

In column 39, line 31, please replace please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --; and

In column 39, line 33, please replace “ $(\nu_s, \phi_s)$ ” with --  $(\vartheta_s, \varphi_s)$  --.